

ROAD / FOOTPATH / DRIVEWAY / NATURESTRIP / KERB & GUTTER OPENING APPLICATION (FORM RAP 1.3)

Council Contact Details
Customer Service 1 Pope Street, Ryde NSW
Post Locked Bag 2069, North Ryde NSW 1670
Email cityofryde@ryde.nsw.gov.au
Phone (02) 9952 8222
TTY (02) 9952 8470
Fax (02) 9952 8070

PART 1 : APPLICANT DETAILS

The applicant is the person lodging the form and the only person the City will communicate with.

Company / Organisation <small>If applicable</small>	<input type="text"/>				
Title	<input type="checkbox"/> Mr	<input type="checkbox"/> Mrs	<input type="checkbox"/> Ms	<input type="checkbox"/> Miss	<input type="checkbox"/> Other
Given Name	<input type="text"/>		Family Name	<input type="text"/>	
Address	<input type="text"/>				
Suburb	<input type="text"/>			Postcode	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Postal Address <small>If different from above</small>	<input type="text"/>				
Suburb	<input type="text"/>			Postcode	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Preferred contact	<input type="checkbox"/> Mobile	<input type="checkbox"/> Phone	<input type="checkbox"/> Email		
Mobile	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Phone	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>		
Email	<input type="text"/>				

PART 2 : DETAILS OF WORK

Estimated Start Date	<input type="text"/>	Estimated Completion Date	<input type="text"/>		
Location Address of Work	<input type="text"/>				
Suburb	<input type="text"/>			Postcode	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Connect / Repair Description:	<input type="text"/>				
Property Address Requiring Work	<input type="text"/>				
Suburb	<input type="text"/>			Postcode	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
DA Number <small>(if applicable)</small>	<input type="text"/>				

PART 3 : COST OF WORK

Restoration Type	Material Type	Damage Anticipated	Cost
Road* (See Note)		m2	\$
Footpath		m2	\$
Driveway		m2	\$
Naturestrip		m2	\$
Kerb & Gutter		m2	\$

Permit Cost \$ (GL Receipt – RoadOpeningPermit)

Total Restoration Cost \$ (GL Receipt – RoadOpenRestoration)

Traffic Management Plan Assessment Cost \$ (GL Receipt – RoadOpenTraffic)

*Note:

- Damage in excess of that anticipated will be a further charge at the relevant rate.
- Permit is valid for 6 months
- A Traffic Management Plan (TMP) prepared by a RTA Accredited Company is to be submitted to Council for approval prior to issue of a Permit where the road opening is in a trafficable lane. Approval of the TMP will take up to 5 working days.

PART 4 : DECLARATION

I / We apply for permission to open either road/footpath/driveway/naturestrip/kerb & gutter for the abovementioned property and agree to comply with Councils opening conditions as stated on the reverse of this form. In addition, I / We agree to fill up, consolidate and ensure that such opening does not project beyond road surface and is left in a safe and workmanlike manner to the satisfaction of Council's Group Manager Public Works and advise Council when works complete.

Signature

Date

PART 5 : PERMIT TERMS & CONDITIONS

INTERIM PERMIT – An Interim Permit will be issued for approved applications, until sign off by an Authorised Officer under the *Roads Act 1993*. The applicant agrees to abide by any additional requirements of the Authorised Officer. Permits are valid for 6 months from the date of issue.

RESPONSIBILITY OF THE PERMIT HOLDER

DIAL BEFORE YOU DIG

The permit holder is to contact Dial Before You Dig on 1100 before any roads etc are opened.

SIGNS AND BARRICADES

The permit holder is responsible for supplying warning signs and barricades for pedestrian and vehicular traffic safety to Australian Standards No 1742.3, *Traffic Control Devices for Works on Roads*, at the work site, and in accordance with the approved Traffic Management Plan.

COMPACTION

The permit holder is to ensure that the work site is compacted to Council's specifications and in such a manner that no subsidence of backfill material takes place. **Council will charge a further fee** if it is called upon to make a temporary restoration.

LIABILITY

Permit holders are reminded that they are responsible for maintaining the opening until Council commences permanent restoration works. It should be noted that should any public liability claim be lodged with Council for damages caused by the condition of the roadway and/or footway, Council will not accept liability and any such claims will be forwarded to the Permit holder.

DECORATIVE PAVING

Where pavers are not returned to Council in a clean state, free of damage, Council will charge for supply of replacement pavers.

The permit holder is responsible for ensuring pavers are returned to Council's Depot, Wicks Road, Macquarie Park (phone 9878 2038) and the details of the site from which they came from plus the quantity of pavers is verified to Council.

Pavers may only be returned to Council's Depot during normal operating hours and arrangements must be made in advance with Council's Depot supervisor.

ADVISE COUNCIL WHEN TEMPORARY RESTORATION COMPLETE

Upon completion of temporary restoration work, you are required to contact Council's Customer Service Centre on 9952 8222 to arrange permanent restoration work.

Note - Where private restoration is undertaken for naturestrips, to request a refund you must contact Council's Customer Service Centre on 9952 8222 when work complete.

SPECIFICATIONS FOR ROAD/FOOTPATH RESTORATIONS

ROADS

Council's standard specification for the restoration of roads is as follows:

The trench is to be backfilled with **sand to 100mm** above the pipe/service, followed by **14:1 sand and cement mix**, compacted in layers of **150mm** thickness and topped with **25mm Coldmix**.

No excavated material is to be placed back into excavation.

FOOTWAY AREAS

Council's standard specification for **turfed** areas is as follows:

The trench is to be backfilled with sand to 100mm above the pipe/service and compacted, the remainder to be backfilled and compacted with excavated materials and turfed.

Where a concrete or AC path is damaged or removed, 25mm of Coldmix is to be placed over the area which is compacted in the **same** manner as turfed areas.

Note - For footpaths normally 1.2m to 1.4m wide it should be noted that when a slab is damaged the whole slab **must be replaced**.

PART 6 : PERMIT & RESTORATION FEES

Permit and inspection fee (GST not applicable)	\$162.00
Late fee (GST not applicable)	\$490.00
Re-inspection fee (GST not applicable)	\$118.00
Assess Traffic Management Plan	\$162.00 per hour (min. 1 hour followed by 15 minute intervals)

Notes -

1. Minimum area for all surfaces is 1m² with the exception of concrete footpath 1.44 m²
2. Where portions of Council's concrete footpath slabs are damaged, full replacement of the slab being 1.44m² will be provided at the utilities/plumbers/builders' expense
3. Permit and Inspection fees are not applicable for public utilities. However, Contractors working for public utilities **are** required to pay these fees
4. Council will only allow private restoration work for naturestrips, however restoration fees are still required to be paid upon application for a permit. If the restoration work satisfies Councils requirements a refund will be arranged. To request a refund, contact Council's Customer Service Centre once restoration work is complete.

Restoration Charges	Unit Rate \$ per m ² . GST not applicable	Minimum charge. GST not applicable
Roads		
• Tar, bitumen or AC surface on all classes of flexible base	\$404.00	\$404.00
• Cement concrete base with AC surfacing	\$614.00	\$614.00
• Cement concrete base with pavers	\$660.00	\$660.00
• Unsealed pavement or shoulders (<i>ie earth, gravel, ballast</i>)	\$139.00	\$139.00
• Road line marking (<i>to be individually assessed</i>)	POA	POA
Footpaths		
• Concrete	\$264.00	\$264.00
• AC surfaced concrete 75mm	\$306.00	\$306.00
• Asphaltic bitumen	\$226.00	\$226.00
• Brick Paving - No concrete	\$316.00	\$316.00
• Granite paving, concrete sub-base – <i>normal working hours</i>	\$960.00	\$960.00
• Granite paving, concrete sub-base – <i>outside normal working hours</i>	\$1080.00	\$1080.00
Driveways		
• Concrete residential driveway with pavers	\$411.00	\$411.00
• Concrete residential driveways 125mm	\$363.00	\$363.00
• Concrete residential driveway stencilled (125mm)	\$404.00	\$404.00
• Concrete residential driveway stencilled (150mm)	\$447.00	\$447.00
• Heavy Duty concrete driveways – commercial 150mm	\$421.00	\$421.00
Naturestrips		
• Formed or grassed area	\$145.00	\$145.00
Kerb & Gutter		
• Concrete (including layback)	\$345.00	\$345.00
• Dish crossing (standard or heavy duty) at intersection	\$421.00	\$421.00
• Kerb outlet - per hole	\$264.00	\$264.00