

GRANITE PAVER SPECIFICATION

Type:	General Paver - Select flame exfoliated granite Grade >1:8 Paver - Select bush hammered granite
Description:	Natural stone which is of uniform quality, sound, free from defects (such as vents, cracks, fissures, seams, porous inclusions, foreign material, loose surface material striations, stains, and discolouration) liable to affect its strength, appearance, durability, or proper functioning under the intended conditions of use.
Matching:	Select stone for the optimum matching of visual properties such as colour and pattern.
Finish:	General Paver, W rated - Sawn edges with exfoliated surface to provide a finish in accordance with AS/NZS 4586:2004. Grade >1:8 Paver, V rated - Sawn edges with bush hammered surface to provide a finish in accordance with AS/NZS 4586:2004.
Colour:	Raven Black or colour code G684 Header paving and banding as per landscape drawings. For Top Ryde CBD, Rosa (matching existing material laid in Blaxland Rd, Ryde)
Size:	Footpaths 600 x 300 x 60 mm (Infill pavers); 300 x 300 x 60 mm (Header pavers) Driveways 600 x 300 x 60 mm (Infill pavers); 300 x 300 x 60 mm (Header pavers) Commercial Driveways: Transition pavers 600 x 150 x 60 mm; Infill pavers: 300 x 150 x 60 mm Special pavers: 150 x 150 x 60 mm
Breaking Load:	Minimum 5Kn Plan area +/-1mm
Tolerance:	Thickness: +/- 2mm
Water Absorption:	Maximum 0.3% Moisture Content And Total Water Absorption in accordance with ASTM C97
Chamfers and Edges:	Stone edge is not to be chamfered unless specified. Finish to exposed edges to match surface finish - no sawn edges to be exposed

COPYRIGHT © 2011 City of Ryde - ALL RIGHTS RESERVED
No part of this document shall be modified or reproduced without written permission.
Go to www.ryde.nsw.gov.au/disclaimer to view the Standard Drawings Disclaimer

COPYRIGHT © 2011 City of Ryde - ALL RIGHTS RESERVED - No part of this document shall be reproduced without written permission.



ABN: 81 621 292 610
LEVEL 1, BUILDING 0, BINARY CENTRE, 3
RICHARDSON PLACE, NORTH RYDE NSW 2113
Locked Bag 2069
NORTH RYDE NSW 1670
Email: cityofryde@ryde.nsw.gov.au
Web: www.ryde.nsw.gov.au
Tel: (02) 9952 8222
Fax: (02) 9952 8070

STANDARD DRAWING
**PAVEMENT TYPE GRANITE
SPECIFICATION**

APPROVED VP DESIGN MANAGER	DATE .15/12/17..
DRAWING NUMBER	REVISION
PV.SPEC	F