



SIGN DIMENSION LIMIT FOR SINGLE POST	
SHAPE	DIMENSION LIMIT
RECTANGULAR	NOT EXCEEDING 900mm WIDTH AND 1200mm HEIGHT
TRIANGULAR	NOT EXCEEDING 1200mm HEIGHT
DIAMOND	NOT EXCEEDING 900mm x 900mm SQUARE
CIRCULAR	DIAMETER NOT EXCEEDING 900mm
OTHER	HEIGHT OR WIDTH NOT EXCEEDING 900mm

- NOTES:**
1. POSITION AND ORIENTATION OF STREET NAME SIGNS SHALL BE IN ACCORDANCE WITH AS1742.5
 2. POSITION AND ORIENTATION OF ROAD SIGNS SHALL BE IN ACCORDANCE WITH AS1742.13
 2. POSITION AND ORIENTATION OF PARKING SIGNS SHALL BE IN ACCORDANCE WITH AS1742.11
 3. THE POST SHALL BE HELD AND SECURED VERTICALLY WHILE THE CONCRETE IS BEING SET. SIGNS SHALL BE INSTALLED ONCE THE CONCRETE IS SET
 4. INSTALLER SHALL CARRY OUT DBYD SEARCH AND VERIFY THE LOCATION OF UNDERGROUND SERVICES PRIOR TO EXCAVATION.
 5. WHERE THE REQUIRED SUPPORT DEPTH CANNOT BE ACHIEVED, THE DIMENSION OF THE SUPPORT FOOTING SHALL BE ADJUSTED TO PROVIDE EQUIVALENT WEIGHT. APPROVAL TO BE OBTAINED FROM COUNCIL SUPERINTENDENT.
 6. FIXING BRACKETS AND BOLTS SHALL BE ANTI-VANDAL.
 7. CONCRETE SHALL HAVE A 28 DAY STRENGTH OF 25MPa MINIMUM.
 8. CONCRETE SHALL BE PLACED WITH A MAXIMUM SLUMP OF 80mm.
 9. THIS STANDARD DOES NOT COVER LARGE MULTIPLE POST SIGNS. THE STRUCTURAL DESIGN OF POSTS, FOOTINGS AND STIFFENERS FOR LARGE MULTIPLE POST SIGNS SHALL BE CARRIED OUT BY QUALIFIED STRUCTURAL ENGINEER AND APPROVAL OBTAINED FROM COUNCIL.
 10. NOMINAL 300mm CLEAR FROM KERB FACE, 500 MIN. CLEAR FOR MOUNTABLE AND SEMI-MOUNTABLE KERBS. THESE CLEARANCES DOES NOT APPLY TO MEDIAN ISLAND.

TYPICAL SIGN POST SUPPORT
Scale 1:20 @ A4

COPYRIGHT © 2011 City of Ryde - ALL RIGHTS RESERVED
No part of this document shall be modified or reproduced without written permission.
Go to www.ryde.nsw.gov.au/disclaimer to view the Standard Drawings Disclaimer

COPYRIGHT © 2011 City of Ryde - ALL RIGHTS RESERVED - No part of this document shall be reproduced without written permission.



STANDARD DRAWING
TYPICAL SIGN POSTING DETAIL

APPROVED VP DESIGN MANAGER	DATE 24/06/16
DRAWING NUMBER TM.5.1.1	REVISION A